

ExoFit NEX™ Full Body Harness

Description:

The ExoFit NEX™ is the next generation premium harness from DBI-SALA; every component is an innovation and improvement on current designs. The ExoFit NEX™ wraps around you for the ultimate in no-tangle donning and comfortable security. The shoulder, hip and leg padding is built-in so it can't slip. The breathable lining guarantees you'll stay dry and comfortable every day. It even has memory-fit features allowing you to lock the adjustments in place to prevent the web from slipping.

Features & Benefits:

- Hybrid shoulder, back, leg and hip padding with premium comfort and durability
- Revolver™ vertical torso buckles make non-slip adjustment of shoulder straps fast and easy
- Duo-Lok™ quick-connect buckles with memory-fit web-lock ensures an exact fit every time
- Repel web technology extends harness life by resisting moisture and abrasion
- Integrated suspension trauma straps provide relief in a fall
- Molded lanyard keepers easily accept larger hooks and break away to avoid a trip hazard
- Tech-Lite™ aluminum D-rings are extremely lightweight for added security and comfort
- Built-in chest label cover and cell phone pouch
- 420 lb. capacity for tool carrying options
- Ultra-Soft Edging moves with you and doesn't rub or chafe for added comfort
- Rigid Shoulder Caps provide protection and comfort when carrying heavy materials
- Reflective materials front and back of harness provide greater visibility in low light conditions
- Superior "X" design wraps around the wearer for ultimate comfort and no-tangle security
- Patented spring loaded stand-up dorsal D-ring ensures fast, simple and safe connections
- Rigid hip padding loops protects against abrasion and provides added equipment support




Model 1113004
Shown (Front)



Model 1113121
Shown (Back)

Other Models/Styles Available

Note: For Canadian models add 'C' to the end of part number.



ExoFit NEX™ Sizing Chart

Capital Safety

USA : 800.328.6146 • Canada : 800.387.7484 • Latin America : +1 651.385.4301 • Asia : +65 6558 7758
 Australia: 1800 245 002 • New Zealand: 0800 212 505 • Europe, Middle East, Africa : +33 (0)4 97 10 00 10
 Northern Europe : +44 (0) 1928 571324 • Germany: +49 2634 8052
www.capitalsafety.com • info@capitalsafety.com

**ISO 9001
REGISTERED**

©2009, Capital Safety

Materials:

- **Repel Technology Webbing:**
 - Material = Polyester
 - Width = 1.75 in (4.45cm)
 - T. Strength
 - Stan = 6,000lbs (2,722 kg)
 - Belt = 11,000lbs (4,990 kg)
 - T&B = 8,800lbs (3,992 kg)
 - Treatment: Nanosphere
- **Hybrid Comfort Padding**
 - Shoulder/Back, Hip, Leg, Chest
 - Materials (where applicable)
 - Nylon & Polyester
 - Nylon 6-6 (belt loops)
 - TPU (shoulder caps)
 - Dri-Lex® Aerospace Mesh
 - EVA Foam
 - 3M Scotchlite® Reflective
- **Duo-Lok™ Quick Connect Buckle**
 - Materials
 - 7075 & 6061 Aluminum Alloy
 - Stainless Steel per ASTM A240
 - Alloy Steel SAE AMS 6350 (zinc plated finish)
 - T. Strength = 4,000lbs (1,815kg)
- **Revolver™ Vertical Torso Adjustor**
 - Materials
 - Alloy Steel AISI 4140 (zinc plated finish)
 - Stainless Steel
 - Nylon 6-6
 - T. Strength = 4,000lbs (1,815kg)
- **Tech-Lite™ D-rings**
 - Material = 7075 Aluminum Alloy
 - T-Strength = 5,000 lbs (2,268 kg)
- **Labels**
 - Material = Vinyl
- **Thread**
 - Material = High Strength Polyester
- **Suspension Trauma Straps**
 - Material
 - Case = EVA Foam
 - Straps & thread = Nylon

Performance:

- **Capacity:** One user – 420 lbs (140 kg)
- **Maximum Arresting Force:** 1800lbs

Standards:

- ANSI Z359.1
- OSHA
- ANSI Z359.3 (on applicable models)
- ANSI Z359.4 (on applicable models)
- ANZI A10.32-2004 (on applicable models)
- CSA 259.10 (Classes differ by model)



Capital Safety

USA : 800.328.6146 • Canada : 800.387.7484 • Latin America: +1 651.385.4301 • Asia : +65 6558 7758
 Australia: 1800 245 002 • New Zealand: 0800 212 505 • Europe, Middle East, Africa : +33 (0)4 97 10 00 10
 Northern Europe : +44 (0) 1928 571324 • Germany: +49 2634 8052
www.capitalsafety.com • info@capitalsafety.com

**ISO 9001
REGISTERED**

©2009, Capital Safety

PRODUCT SPECIFICATION



ExoFit NEX Part Number	Long Description	Weight
1113000	ExoFit NEX™ Vest Style Harness with aluminum back d-ring, locking quick connect buckles (Size X-small)	3.6 lbs (1.6 kg)
1113001	ExoFit NEX™ Vest Style Harness with aluminum back d-ring, locking quick connect buckles (Size Small)	3.6 lbs (1.6 kg)
1113004	ExoFit NEX™ Vest Style Harness with aluminum back d-ring, locking quick connect buckles (Size Medium)	3.6 lbs (1.6 kg)
1113007	ExoFit NEX™ Vest Style Harness with aluminum back d-ring, locking quick connect buckles (Size Large)	3.6 lbs (1.6 kg)
1113010	ExoFit NEX™ Vest Style Harness with aluminum back d-ring, locking quick connect buckles (Size X-Large)	3.6 lbs (1.6 kg)
1113013	ExoFit NEX™ Vest Style Harness with aluminum back d-ring, locking quick connect buckles (Size XX-Large)	3.6 lbs (1.6 kg)
1113015	ExoFit NEX™ Vest Style Harness with aluminum back d-ring, tongue buckle legs (Size X-small)	3.9 lbs (1.8 kg)
1113016	ExoFit NEX™ Vest Style Harness with aluminum back d-ring, tongue buckle legs (Size Small)	3.9 lbs (1.8 kg)
1113019	ExoFit NEX™ Vest Style Harness with aluminum back d-ring, tongue buckle legs (Size Medium)	3.9 lbs (1.8 kg)
1113022	ExoFit NEX™ Vest Style Harness with aluminum back d-ring, tongue buckle legs (Size Large)	3.9 lbs (1.8 kg)
1113025	ExoFit NEX™ Vest Style Harness with aluminum back d-ring, tongue buckle legs (Size X-Large)	3.9 lbs (1.8 kg)
1113028	ExoFit NEX™ Vest Style Harness with aluminum back d-ring, tongue buckle legs (Size XX-Large)	3.9 lbs (1.8 kg)
1113030	ExoFit NEX™ Vest Style Harness with aluminum front and back D-rings, locking quick connect buckles (Size X-small)	3.8 lbs (1.7 kg)
1113031	ExoFit NEX™ Vest Style Harness with aluminum front and back D-rings, locking quick connect buckles (Size Small)	3.8 lbs (1.7 kg)
1113034	ExoFit NEX™ Vest Style Harness with aluminum front and back D-rings, locking quick connect buckles (Size Medium)	3.8 lbs (1.7 kg)
1113037	ExoFit NEX™ Vest Style Harness with aluminum front and back D-rings, locking quick connect buckles (Size Large)	3.8 lbs (1.7 kg)
1113040	ExoFit NEX™ Vest Style Harness with aluminum front and back D-rings, locking quick connect buckles (Size X-Large)	3.8 lbs (1.7 kg)
1113043	ExoFit NEX™ Vest Style Harness with aluminum front and back D-rings, locking quick connect buckles (Size XX-Large)	3.8 lbs (1.7 kg)

Capital Safety

USA : 800.328.6146 • Canada : 800.387.7484 • Latin America: +1 651.385.4301 • Asia : +65 6558 7758
 Australia: 1800 245 002 • New Zealand: 0800 212 505 • Europe, Middle East, Africa : +33 (0)4 97 10 00 10
 Northern Europe : +44 (0) 1928 571324 • Germany: +49 2634 8052
www.capitalsafety.com • info@capitalsafety.com

**ISO 9001
REGISTERED**

©2009, Capital Safety

PRODUCT SPECIFICATION



ExoFit NEX Part Number	Long Description	Weight
1113045	ExoFit NEX™ Vest Style Harness with aluminum back and side D-rings, locking quick connect buckles (Size X-small)	4.0 lbs (1.8 kg)
1113046	ExoFit NEX™ Vest Style Harness with aluminum back and side D-rings, locking quick connect buckles (Size Small)	4.0 lbs (1.8 kg)
1113049	ExoFit NEX™ Vest Style Harness with aluminum back and side D-rings, locking quick connect buckles (Size Medium)	4.0 lbs (1.8 kg)
1113052	ExoFit NEX™ Vest Style Harness with aluminum back and side D-rings, locking quick connect buckles (Size Large)	4.0 lbs (1.8 kg)
1113055	ExoFit NEX™ Vest Style Harness with aluminum back and side D-rings, locking quick connect buckles (Size X-Large)	4.0 lbs (1.8 kg)
1113058	ExoFit NEX™ Vest Style Harness with aluminum back and side D-rings, locking quick connect buckles (Size XX-Large)	4.0 lbs (1.8 kg)
1113060	ExoFit NEX™ Vest Style Harness with aluminum back and shoulder D-rings, locking quick connect buckles (Size X-small)	3.7 lbs (1.7 kg)
1113061	ExoFit NEX™ Vest Style Harness with aluminum back and shoulder D-rings, locking quick connect buckles (Size Small)	3.7 lbs (1.7 kg)
1113064	ExoFit NEX™ Vest Style Harness with aluminum back and shoulder D-rings, locking quick connect buckles (Size Medium)	3.7 lbs (1.7 kg)
1113067	ExoFit NEX™ Vest Style Harness with aluminum back and shoulder D-rings, locking quick connect buckles (Size Large)	3.7 lbs (1.7 kg)
1113070	ExoFit NEX™ Vest Style Harness with aluminum back and shoulder D-rings, locking quick connect buckles (Size X-Large)	3.7 lbs (1.7 kg)
1113073	ExoFit NEX™ Vest Style Harness with aluminum back and shoulder D-rings, locking quick connect buckles (Size XX-Large)	3.7 lbs (1.7 kg)
1113075	ExoFit NEX™ Vest Style Harness with aluminum front, back and side D-rings, locking quick connect buckles (Size X-small)	4.2 lbs (1.9 kg)
1113076	ExoFit NEX™ Vest Style Harness with aluminum front, back and side D-rings, locking quick connect buckles (Size Small)	4.2 lbs (1.9 kg)
1113079	ExoFit NEX™ Vest Style Harness with aluminum front, back and side D-rings, locking quick connect buckles (Size Medium)	4.2 lbs (1.9 kg)
1113082	ExoFit NEX™ Vest Style Harness with aluminum front, back and side D-rings, locking quick connect buckles (Size Large)	4.2 lbs (1.9 kg)
1113085	ExoFit NEX™ Vest Style Harness with aluminum front, back and side D-rings, locking quick connect buckles (Size X-Large)	4.2 lbs (1.9 kg)
1113088	ExoFit NEX™ Vest Style Harness with aluminum front, back and side D-rings, locking quick connect buckles (Size XX-Large)	4.2 lbs (1.9 kg)

Capital Safety

USA : 800.328.6146 • Canada : 800.387.7484 • Latin America: +1 651.385.4301 • Asia : +65 6558 7758
 Australia: 1800 245 002 • New Zealand: 0800 212 505 • Europe, Middle East, Africa : +33 (0)4 97 10 00 10
 Northern Europe : +44 (0) 1928 571324 • Germany: +49 2634 8052
www.capitalsafety.com • info@capitalsafety.com

**ISO 9001
REGISTERED**

©2009, Capital Safety

PRODUCT SPECIFICATION



ExoFit NEX Part Number	Long Description	Weight
1113090	ExoFit NEX™ Cross Over Style Harness with aluminum front and back D-rings, locking quick connect buckles (Size X-small)	3.7 lbs (1.7 kg)
1113091	ExoFit NEX™ Cross Over Style Harness with aluminum front and back D-rings, locking quick connect buckles (Size Small)	3.7 lbs (1.7 kg)
1113094	ExoFit NEX™ Cross Over Style Harness with aluminum front and back D-rings, locking quick connect buckles (Size Medium)	3.7 lbs (1.7 kg)
1113097	ExoFit NEX™ Cross Over Style Harness with aluminum front and back D-rings, locking quick connect buckles (Size Large)	3.7 lbs (1.7 kg)
1113100	ExoFit NEX™ Cross Over Style Harness with aluminum front and back D-rings, locking quick connect buckles (Size X-Large)	3.7 lbs (1.7 kg)
1113103	ExoFit NEX™ Cross Over Style Harness with aluminum front and back D-rings, locking quick connect buckles (Size XX-Large)	3.7 lbs (1.7 kg)
1113105	ExoFit NEX™ Cross Over Style Harness with aluminum front, back and side D-rings, locking quick connect buckles (Size X-small)	4.1 lbs (1.9 kg)
1113106	ExoFit NEX™ Cross Over Style Harness with aluminum front, back and side D-rings, locking quick connect buckles (Size Small)	4.1 lbs (1.9 kg)
1113109	ExoFit NEX™ Cross Over Style Harness with aluminum front, back and side D-rings, locking quick connect buckles (Size Medium)	4.1 lbs (1.9 kg)
1113112	ExoFit NEX™ Cross Over Style Harness with aluminum front, back and side D-rings, locking quick connect buckles (Size Large)	4.1 lbs (1.9 kg)
1113115	ExoFit NEX™ Cross Over Style Harness with aluminum front, back and side D-rings, locking quick connect buckles (Size X-Large)	4.1 lbs (1.9 kg)
1113118	ExoFit NEX™ Cross Over Style Harness with aluminum front, back and side D-rings, locking quick connect buckles (Size XX-Large)	4.1 lbs (1.9 kg)
1113120	ExoFit NEX™ Construction Style Harness with aluminum back and side D-rings, locking quick connect buckles and sewn-in hip pad and body belt (Size X-small)	6.0 lbs (2.7 kg)
1113121	ExoFit NEX™ Construction Style Harness with aluminum back and side D-rings, locking quick connect buckles and sewn-in hip pad and body belt (Size Small)	6.0 lbs (2.7 kg)
1113124	ExoFit NEX™ Construction Style Harness with aluminum back and side D-rings, locking quick connect buckles and sewn-in hip pad and body belt (Size Medium)	6.0 lbs (2.7 kg)
1113127	ExoFit NEX™ Construction Style Harness with aluminum back and side D-rings, locking quick connect buckles and sewn-in hip pad and body belt (Size Large)	6.0 lbs (2.7 kg)
1113130	ExoFit NEX™ Construction Style Harness with aluminum back and side D-rings, locking quick connect buckles and sewn-in hip pad and body belt (Size X-Large)	6.0 lbs (2.7 kg)
1113133	ExoFit NEX™ Construction Style Harness with aluminum back and side D-rings, locking quick connect buckles and sewn-in hip pad and body belt (Size XX-Large)	6.0 lbs (2.7 kg)

Capital Safety

USA : 800.328.6146 • Canada : 800.387.7484 • Latin America: +1 651.385.4301 • Asia : +65 6558 7758
 Australia: 1800 245 002 • New Zealand: 0800 212 505 • Europe, Middle East, Africa : +33 (0)4 97 10 00 10
 Northern Europe : +44 (0) 1928 571324 • Germany: +49 2634 8052
www.capitalsafety.com • info@capitalsafety.com

**ISO 9001
REGISTERED**

©2009, Capital Safety

PRODUCT SPECIFICATION



ExoFit NEX Part Number	Long Description	Weight
1113135	ExoFit NEX™ Construction Style Harness with aluminum back and side D-rings, tongue buckle legs and sewn-in hip pad and body belt (Size X-small)	6.4 lbs (2.9 kg)
1113136	ExoFit NEX™ Construction Style Harness with aluminum back and side D-rings, tongue buckle legs and sewn-in hip pad and body belt (Size Small)	6.4 lbs (2.9 kg)
1113139	ExoFit NEX™ Construction Style Harness with aluminum back and side D-rings, tongue buckle legs and sewn-in hip pad and body belt (Size Medium)	6.4 lbs (2.9 kg)
1113142	ExoFit NEX™ Construction Style Harness with aluminum back and side D-rings, tongue buckle legs and sewn-in hip pad and body belt (Size Large)	6.4 lbs (2.9 kg)
1113145	ExoFit NEX™ Construction Style Harness with aluminum back and side D-rings, tongue buckle legs and sewn-in hip pad and body belt (Size X-Large)	6.4 lbs (2.9 kg)
1113148	ExoFit NEX™ Construction Style Harness with aluminum back and side D-rings, tongue buckle legs and sewn-in hip pad and body belt (Size XX-Large)	6.4 lbs (2.9 kg)
1113150	ExoFit NEX™ Construction Style Harness with aluminum front, back and side D-rings, locking quick connect buckles and sewn-in hip pad and body belt (Size X-small)	6.2 lbs (2.8 kg)
1113151	ExoFit NEX™ Construction Style Harness with aluminum front, back and side D-rings, locking quick connect buckles and sewn-in hip pad and body belt (Size Small)	6.2 lbs (2.8 kg)
1113154	ExoFit NEX™ Construction Style Harness with aluminum front, back and side D-rings, locking quick connect buckles and sewn-in hip pad and body belt (Size Medium)	6.2 lbs (2.8 kg)
1113157	ExoFit NEX™ Construction Style Harness with aluminum front, back and side D-rings, locking quick connect buckles and sewn-in hip pad and body belt (Size Large)	6.2 lbs (2.8 kg)
1113160	ExoFit NEX™ Construction Style Harness with aluminum front, back and side D-rings, locking quick connect buckles and sewn-in hip pad and body belt (Size X-Large)	6.2 lbs (2.8 kg)
1113163	ExoFit NEX™ Construction Style Harness with aluminum front, back and side D-rings, locking quick connect buckles and sewn-in hip pad and body belt (Size XX-Large)	6.2 lbs (2.8 kg)

Capital Safety

USA : 800.328.6146 • Canada : 800.387.7484 • Latin America: +1 651.385.4301 • Asia : +65 6558 7758
 Australia: 1800 245 002 • New Zealand: 0800 212 505 • Europe, Middle East, Africa : +33 (0)4 97 10 00 10
 Northern Europe : +44 (0) 1928 571324 • Germany: +49 2634 8052
www.capitalsafety.com • info@capitalsafety.com

**ISO 9001
REGISTERED**

©2009, Capital Safety